


Reduction

MxxMxx PAzzzz


Reduction	Polyamide PA6 GF30
External thread	metric, as per EN 60423
Internal thread	metric, as per EN 60423



Properties


Temperature range	-40 °C +100 °C
Protection grade	dependent on the combination with other components

- reduction of threaded or clearance holes to smaller thread sizes




Features


-  RAL 9005

A	B	L	SW1	H		Part No.
M16x1,5	M12x1,5	8	24	12	100	M16M12 PA/SW
M20x1,5	M12x1,5	8	24	12	100	M20M12 PA/SW
M20x1,5	M16x1,5	8	24	12	100	M20M16 PA/SW
M25x1,5	M12x1,5	8	29	14	100	M25M12 PA/SW
M25x1,5	M16x1,5	8	29	14	100	M25M16 PA/SW
M25x1,5	M20x1,5	8	29	14	100	M25M20 PA/SW
M32x1,5	M12x1,5	10	36	16	50	M32M12 PA/SW
M32x1,5	M16x1,5	10	36	16	50	M32M16 PA/SW
M32x1,5	M20x1,5	10	36	16	50	M32M20 PA/SW
M32x1,5	M25x1,5	10	36	16	50	M32M25 PA/SW
M40x1,5	M16x1,5	10	46	16	50	M40M16 PA/SW
M40x1,5	M20x1,5	10	46	16	50	M40M20 PA/SW
M40x1,5	M25x1,5	10	46	16	50	M40M25 PA/SW
M40x1,5	M32x1,5	10	46	16	50	M40M32 PA/SW
M50x1,5	M20x1,5	12	55	18	25	M50M20 PA/SW
M50x1,5	M25x1,5	12	55	18	25	M50M25 PA/SW
M50x1,5	M32x1,5	12	55	18	25	M50M32 PA/SW
M50x1,5	M40x1,5	12	55	18	25	M50M40 PA/SW
M63x1,5	M25x1,5	12	68	18	25	M63M25 PA/SW
M63x1,5	M32x1,5	12	68	18	25	M63M32 PA/SW
M63x1,5	M40x1,5	12	68	18	25	M63M40 PA/SW
M63x1,5	M50x1,5	12	68	18	25	M63M50 PA/SW



RAL 7035

A	B	L	SW1	H		Part No.
M16x1,5	M12x1,5	8	24	12	100	M16M12 PA
M20x1,5	M12x1,5	8	24	12	100	M20M12 PA
M20x1,5	M16x1,5	8	24	12	100	M20M16 PA
M25x1,5	M12x1,5	8	29	14	100	M25M12 PA
M25x1,5	M16x1,5	8	29	14	100	M25M16 PA
M25x1,5	M20x1,5	8	29	14	100	M25M20 PA
M32x1,5	M12x1,5	10	36	16	50	M32M12 PA
M32x1,5	M16x1,5	10	36	16	50	M32M16 PA

A	B	L	SW1	H		Part No.
M32x1,5	M20x1,5	10	36	16	50	M32M20 PA
M32x1,5	M25x1,5	10	36	16	50	M32M25 PA
M40x1,5	M16x1,5	10	46	16	50	M40M16 PA
M40x1,5	M20x1,5	10	46	16	50	M40M20 PA
M40x1,5	M25x1,5	10	46	16	50	M40M25 PA
M40x1,5	M32x1,5	10	46	16	50	M40M32 PA
M50x1,5	M20x1,5	12	55	18	25	M50M20 PA
M50x1,5	M25x1,5	12	55	18	25	M50M25 PA
M50x1,5	M32x1,5	12	55	18	25	M50M32 PA
M50x1,5	M40x1,5	12	55	18	25	M50M40 PA
M63x1,5	M25x1,5	12	68	18	25	M63M25 PA
M63x1,5	M32x1,5	12	68	18	25	M63M32 PA
M63x1,5	M40x1,5	12	68	18	25	M63M40 PA
M63x1,5	M50x1,5	12	68	18	25	M63M50 PA